



**We Are
Trikul International**

**Let's us show you
what we do**

+91- 7366023923,8929854179
enquiry@trikulinternational.com
marketing@trikulinternational.com

3rd Floor, Main Road Gijhore, Front of
Manas Hospital, Sec-53 Noida,
G.B. Nagar, U.P.-201301

Trikul International Pvt.Ltd.
WhatsApp business account



www.trikulinternational.com

1. FIRE RATED DOOR'S

- * Metal Fire Door
- * Wooden Fire Door
- * Glazed Fire Door
- * Stainless Steel Fire Door
- * Acoustic Fire Door (Metal/Wooden)
- * Lead Line Door
- * Fire Rated Window
- * Fire Rated Glazed Partition
- * Swing Door (Metal/Wooden/Stainless Steel)

2. Fire Rated Glass (Schott/SaintGobin/ FireView/ AIS)

- * 6mm, 11mm, 12mm, 13mm, 14mm, 18mm

3. Fire Rated Hardware


- * Push/Panic Bar
- * External Trim
- * Door Closer
- * D/H/C Type Handle
- * Dead Lock
- * Cylinder lock
- * Hinge
- * Fastener

4. Fire Door Maintenance Work

5. Annual Maintenance Contract for Fire Doors

6. Dock Leveler

COLOR SHADE



Pelmet Arm Door Closer



Price:- 2999



Price:- 2999



Price:- 2999



Price:- 2999



Price:- 2999



Price:- 2999

Details

Power Size
Body Type
Applicable Door Width
Hold Open
Back Check
Work Temperature
Speed Control
Test Cycle
Available Finish
Applicable Door Weight

Features

EN 4
Aluminium Extruded Body
Up to 1200 mm
Yes / Rail Hold Open
Yes
Minus 40 to 60 Degree Celsius
Double Speed Control
1 Million
Silver, Black, Golden, Ivory, Brown, Antique
70-90 Kg

Hinges, Door Closer



Hidden Door Hinge



Details

Applicable Door Width
Applicable Door Weight
Function
Body Type
Test Cycle
Size

Features

Up to 1500 mm Max
Up to 20 to 150 Kgs Max
Smooth Function
Aluminium Extrusion Hinge
1 Million
On Order

Price:- 9999 per pair

Hidden Hydraulic Hinge



Details

Power Size
Applicable Door Width
Hold Open
Applicable Door Weight
Work Temperature
Function
Body Type
Test Cycle

Features

EN 1-6
Up to 1500 mm Max
90 & 125 Degree Hold Open
Up to 20 to 200 Kgs Max
-40 to 60 degree celcius
Smooth Function
Aluminium Extrusion Hinge
1 Million



Price:- 29999 per pair



Price:- 999/-



Palm Door Closer

Details

Body Type
Function
Door Size
Door Wt.
Spring Adjustment
Available Finish

Features

Medium Duty (Iron Body)
Smooth Functioning
Up to 850 mm Max
Up to 45 Kgs Max.
Available
SS / Antique / Chrome



1



Price:- 1499

Details

Power Size	EN 3
Body Type	Aluminium Die Casted Body
Applicable Door Width	Up to 1100 mm
Hold Open	No
Back Check	No
Work Temperature	Minus 40 to 60 Degree Celsius
Speed Control	Double Speed Control
Test Cycle	1 Million
Available Finish	Silver, Black, Golden, Ivory, Brown, Antique
Applicable Door Weight	60-80 Kg

Features



Details

Power Size	EN 5
Body Type	Aluminium Extruded Body
Applicable Door Width	Up to 1300 mm
Hold Open	No
Back Check	No
Work Temperature	Minus 40 to 60 Degree Celsius
Speed Control	Double Speed Control
Test Cycle	1 Million
Available Finish	Silver, Black, Golden, Ivory, Brown, Antique
Applicable Door Weight	90-120 kg

Features



Price:- 1999

Pneumatic Door Closer



Price:- 950

Details

Power Size	EN 2
Body Type	Iron
Applicable Door Width	950 mm
Hold Open	Any Degree Hold Open
Back Check	No
Work Temperature	Minus 40 to 60 Degree Celsius
Speed Control	Yes
Functioning	Smooth Functioning
Available Finish	Silver, Black, Golden, Brown
Applicable Door Weight	Upto 65 kg

Features

Cam Action Concealed Door Closer



Price:- 19999

R-666



Price:- 19999

R-666V

Details

Power Size
Body Type
Applicable Door Width
Hold Open
Back Check
Work Temperature
Speed Control
Test Cycle
Available Finish
Applicable Door Weight

Features

EN 2-4
Aluminium
Up to 1500 mm
Yes / Rail Hold Open
Yes
Minus 40 to 60 Degree Celsius
Double Speed Control
1 Million
Silver
20-150 Kg

Details

Power Size
Body Type
Applicable Door Width
Hold Open
Back Check
Work Temperature
Speed Control
Test Cycle
Available Finish
Applicable Door Weight

Features

EN 2-4
Grading Steel Casting
Up to 1500 mm
Yes, Rail Hold Open
Yes
Minus 40 to 60 Degree Celsius
Double Speed Control
1 Million
Silver
20-150 kg



CLASSIC Hydraulic Door Closer



Price:- 1999

Details

Power Size
Body Type
Applicable Door Width
Hold Open
Back Check
Work Temperature
Speed Control
Test Cycle
Available Finish
Applicable Door Weight

Features

EN 4
Aluminium Extruded Body
Up to 1200 mm
Optional
No
Minus 40 to 60 Degree Celsius
Double Speed Control
1 Million
Silver, Black, Golden, Ivory, Brown, Antique
70-90 Kg

PLATE PEARL Hydraulic

Details

Power Size
Body Type
Applicable Door Width
Hold Open
Back Check
Work Temperature
Speed Control
Test Cycle
Available Finish
Applicable Door Weight

Features

EN 4
Aluminium Extruded Body
Up to 1200 mm
Yes, Rail Hold Open
Yes
Minus 40 to 60 Degree Celsius
Double Speed Control
1 Million
Silver, Black, Golden, Ivory, Brown, Antique
70-90 kg



Price:- 2999

Concealed Door Closer Series



Ultra Slim Concealed Door Closer

Details

Power Size
Body Type
Applicable Door Width
Hold Open
Back Check
Work Temperature
Speed Control
Test Cycle
Available Finish
Applicable Door Weight

Features

EN 3
Aluminium Extruded Body 23 mm
Up to 850 mm
Yes / Rail Hold Open
Yes
Minus 40 to 60 Degree Celsius
Double Speed Control
1 Million
Silver, Black, Golden, Ivory, Brown, Antique
35-55 Kg

Price:- 6999



Slim Concealed Door Closer

Details

Power Size
Body Type
Applicable Door Width
Hold Open
Back Check
Work Temperature
Speed Control
Test Cycle
Available Finish
Applicable Door Weight

Features

EN 4
Aluminium Extruded Body 26 mm
Up to 1200 mm
Yes / Rail Hold Open
Yes
Minus 40 to 60 Degree Celsius
Double Speed Control
1 Million
Silver
Up to 80 Kg

Price:- 6999

Round Concealed

Details

Power Size
Body Type
Applicable Door Width
Hold Open
Back Check
Work Temperature
Speed Control
Test Cycle
Available Finish
Applicable Door Weight

Features

EN 4
Aluminium Die Casted Body
Up to 1200 mm
Yes / Rail Hold Open
Yes
Minus 40 to 60 Degree Celsius
Double Speed Control
1 Million
Silver
70-90 Kg



Price:- 4999

Hydraulic Door Closer Series



Price:- 1499

Details

Power Size	
Body Type	
Applicable Door Width	
Hold Open	
Back Check	
Work Temperature	
Speed Control	
Test Cycle	
Available Finish	
Applicable Door Weight	

Features

EN 4
Aluminium Die Casted Body
Up to 1200 mm
Yes
No
Minus 40 to 60 Degree Celsius
Double Speed Control
1 Million
Silver, Black, Golden, Ivory, Brown, Antique
70-90 Kg

Details

Power Size	
Body Type	
Applicable Door Width	
Hold Open	
Back Check	
Work Temperature	
Speed Control	
Test Cycle	
Available Finish	
Applicable Door Weight	

Features

EN 1-6
Aluminium Die Casted Body
Up to 1500 mm
No
Yes
Minus 40 to 60 Degree Celsius
Double Speed Control
1 Million
Silver, Black, Golden, Ivory, Brown, Antique
20-200 Kg



Price:- 3999



Price:- 2199

Details

Power Size	
Body Type	
Applicable Door Width	
Hold Open	
Back Check	
Work Temperature	
Speed Control	
Test Cycle	
Available Finish	
Applicable Door Weight	

Features

EN 4
Aluminium Die Casted Body
Up to 1200 mm
Optional
No
Minus 40 to 60 Degree Celsius
Double Speed Control
1 Million
Silver, Black, Golden, Ivory, Brown, Antique
70-90 Kg



Hydraulic Door Closer Series



Price:- 1499

Details

Power Size	EN 4
Body Type	Aluminium Extruded Body
Applicable Door Width	Up to 1200 mm
Hold Open	Optional
Back Check	No
Work Temperature	Minus 40 to 60 Degree Celsius
Speed Control	Double Speed Control
Test Cycle	1 Million
Available Finish	Silver, Black, Golden, Ivory, Brown, Antique
Applicable Door Weight	70-90 Kg

Features

Power Size	EN 4
Body Type	Aluminium Extruded Body
Applicable Door Width	Up to 1200 mm
Hold Open	Optional
Back Check	No
Work Temperature	Minus 40 to 60 Degree Celsius
Speed Control	Double Speed Control
Test Cycle	1 Million
Available Finish	Silver, Black, Golden, Ivory, Brown, Antique
Applicable Door Weight	70-90 Kg

Details

Power Size	EN 4
Body Type	Aluminium Extruded Body
Applicable Door Width	Up to 1200 mm
Hold Open	Optional
Back Check	No
Work Temperature	Minus 40 to 60 Degree Celsius
Speed Control	Double Speed Control
Test Cycle	1 Million
Available Finish	Silver, Black, Golden, Ivory, Brown, Antique
Applicable Door Weight	70-90 Kg

Features

Power Size	EN 4
Body Type	Aluminium Extruded Body
Applicable Door Width	Up to 1200 mm
Hold Open	Optional
Back Check	No
Work Temperature	Minus 40 to 60 Degree Celsius
Speed Control	Double Speed Control
Test Cycle	1 Million
Available Finish	Silver, Black, Golden, Ivory, Brown, Antique
Applicable Door Weight	70-90 Kg



Price:- 1499



Price:- 1899

Details

Power Size	EN 4
Body Type	Aluminium Extruded Body
Applicable Door Width	Up to 1200 mm
Hold Open	Yes / Rail Hold Open
Back Check	Yes
Work Temperature	Minus 40 to 60 Degree Celsius
Speed Control	Double Speed Control
Test Cycle	1 Million
Available Finish	Silver, Black, Golden, Ivory, Brown, Antique
Applicable Door Weight	70-90 Kg

Features

Power Size	EN 4
Body Type	Aluminium Extruded Body
Applicable Door Width	Up to 1200 mm
Hold Open	Yes / Rail Hold Open
Back Check	Yes
Work Temperature	Minus 40 to 60 Degree Celsius
Speed Control	Double Speed Control
Test Cycle	1 Million
Available Finish	Silver, Black, Golden, Ivory, Brown, Antique
Applicable Door Weight	70-90 Kg



Hydraulic Door Closer Series



Price:- 1499

Details

Power Size	EN 4
Body Type	Aluminium Die Casted Body
Applicable Door Width	Up to 1200 mm
Hold Open	Optional
Back Check	No
Work Temperature	Minus 40 to 60 Degree Celsius
Speed Control	Double Speed Control
Test Cycle	1 Million
Available Finish	Silver, Black, Golden, Ivory, Brown, Antique
Applicable Door Weight	70-90 Kg

Features

Power Size	EN 4
Body Type	Aluminium Die Casted Body
Applicable Door Width	Up to 1200 mm
Hold Open	Optional
Back Check	No
Work Temperature	Minus 40 to 60 Degree Celsius
Speed Control	Double Speed Control
Test Cycle	1 Million
Available Finish	Silver, Black, Golden, Ivory, Brown, Antique
Applicable Door Weight	70-90 Kg

Details

Power Size	EN 3
Body Type	Aluminium Die Casted Body
Applicable Door Width	Up to 1100 mm
Hold Open	No
Back Check	No
Work Temperature	Minus 40 to 60 Degree Celsius
Speed Control	Double Speed Control
Test Cycle	1 Million
Available Finish	Silver, Black, Golden, Ivory, Brown, Antique
Applicable Door Weight	60-80 Kg

Features

Power Size	EN 3
Body Type	Aluminium Die Casted Body
Applicable Door Width	Up to 1100 mm
Hold Open	No
Back Check	No
Work Temperature	Minus 40 to 60 Degree Celsius
Speed Control	Double Speed Control
Test Cycle	1 Million
Available Finish	Silver, Black, Golden, Ivory, Brown, Antique
Applicable Door Weight	60-80 Kg



Price:- 1299



Price:- 1499

Details

Power Size	EN 3
Body Type	Aluminium Extruded Body
Applicable Door Width	Up to 1100 mm
Hold Open	No
Back Check	No
Work Temperature	Minus 40 to 60 Degree Celsius
Speed Control	Double Speed Control
Test Cycle	1 Million
Available Finish	Silver, Black, Golden, Ivory, Brown, Antique
Applicable Door Weight	60-80 Kg

Features

Power Size	EN 3
Body Type	Aluminium Extruded Body
Applicable Door Width	Up to 1100 mm
Hold Open	No
Back Check	No
Work Temperature	Minus 40 to 60 Degree Celsius
Speed Control	Double Speed Control
Test Cycle	1 Million
Available Finish	Silver, Black, Golden, Ivory, Brown, Antique
Applicable Door Weight	60-80 Kg



Hydraulic Door Closer Series



Price:- 1499

Details

Power Size	EN 4
Body Type	Aluminium Extruded Body
Applicable Door Width	Up to 1200 mm
Hold Open	Optional
Back Check	No
Work Temperature	Minus 40 to 60 Degree Celsius
Speed Control	Double Speed Control
Test Cycle	1 Million
Available Finish	Silver, Black, Golden, Ivory, Brown, Antique
Applicable Door Weight	70-90 Kg

Features

Power Size	EN 4
Body Type	Aluminium Extruded Body
Applicable Door Width	Up to 1200 mm
Hold Open	Optional
Back Check	No
Work Temperature	Minus 40 to 60 Degree Celsius
Speed Control	Double Speed Control
Test Cycle	1 Million
Available Finish	Silver, Black, Golden, Ivory, Brown, Antique
Applicable Door Weight	70-90 Kg

Details

Power Size	EN 4
Body Type	Aluminium Extruded Body
Applicable Door Width	Up to 1200 mm
Hold Open	Optional
Back Check	No
Work Temperature	Minus 40 to 60 Degree Celsius
Speed Control	Double Speed Control
Test Cycle	1 Million
Available Finish	Silver, Black, Golden, Ivory, Brown, Antique
Applicable Door Weight	70-90 Kg

Features

Power Size	EN 4
Body Type	Aluminium Extruded Body
Applicable Door Width	Up to 1200 mm
Hold Open	Optional
Back Check	No
Work Temperature	Minus 40 to 60 Degree Celsius
Speed Control	Double Speed Control
Test Cycle	1 Million
Available Finish	Silver, Black, Golden, Ivory, Brown, Antique
Applicable Door Weight	70-90 Kg



Price:- 1499



Price:- 1899

Details

Power Size	EN 4
Body Type	Aluminium Extruded Body
Applicable Door Width	Up to 1200 mm
Hold Open	Yes / Rail Hold Open
Back Check	Yes
Work Temperature	Minus 40 to 60 Degree Celsius
Speed Control	Double Speed Control
Test Cycle	1 Million
Available Finish	Silver, Black, Golden, Ivory, Brown, Antique
Applicable Door Weight	70-90 Kg

Features

Power Size	EN 4
Body Type	Aluminium Extruded Body
Applicable Door Width	Up to 1200 mm
Hold Open	Yes / Rail Hold Open
Back Check	Yes
Work Temperature	Minus 40 to 60 Degree Celsius
Speed Control	Double Speed Control
Test Cycle	1 Million
Available Finish	Silver, Black, Golden, Ivory, Brown, Antique
Applicable Door Weight	70-90 Kg



Hydraulic Door Closer Series



Super Jumbo Hydraulic Door Closer



Price = 9999 Per Pcs

Details

Power Size
Body Type
Applicable Door Width
Hold Open
Back Check
Work Temperature
Speed Control
Test Cycle
Available Finish
Applicable Door Weight

Features

EN 1-6
Aluminium Die Casted Body
Up to 1500 mm
No
Yes
Minus 40 to 60 Degree Celsius
Double Speed Control
1 Million
Silver, Black, Golden, Ivory, Brown, Antique
40-250 Kg





Associated Partner



Our Client

